

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) WITH (only OR sole\$2) WITH (another OR addition\$2 OR other \$1 OR more OR extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner \$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:07
L2	2	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((only OR sole\$2) WITH (another OR addition\$2 OR other \$1 OR more OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:08

		extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot \$4 OR designat\$4 OR identifi\$4 OR creat\$3)) SAME ((mirror\$3 OR backup\$1 OR back \$3 ADJ up\$1) near3 (pair\$3 OR partner \$1)))				
L3	4	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot \$4 OR designat\$4 OR identifi\$4 OR creat\$3) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((only OR sole\$2) WITH (another OR addition\$2 OR other \$1 OR more OR extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot \$4 OR designat\$4 OR identifi\$4 OR creat\$3)) SAME ((mirror\$3 OR backup\$1 OR back \$3 ADJ up\$1) WITH (pair\$3 OR partner \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:09

L4	2	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((only OR sole\$2) WITH (another OR addition\$2 OR other \$1 OR more OR extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3) WITH ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) WITH (pair\$3 OR partner \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:14
L5	5	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((only OR sole\$2) WITH (another OR addition\$2 OR other \$1 OR more OR extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3)) SAME ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) WITH (pair\$3 OR partner \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:15

L6	1655	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((only OR sole\$2) WITH (another OR addition\$2 OR other \$1 OR more OR extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3)) SAME ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:16
L7	898	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((only OR sole\$2) WITH (another OR addition\$2 OR other \$1 OR more OR extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3)) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:16

L8	369	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identifi\$4 OR creat\$3) WITH (logical ADJ (volume\$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((only OR sole\$2) near5 (another OR addition\$2 OR other\$1 OR more OR extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3)) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identifi\$4 OR creat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:17
L9	258	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identifi\$4 OR creat\$3) WITH (main OR primary OR first) WITH (logical ADJ (volume\$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME (((only OR sole\$2 OR based OR respons\$3) near5 (another OR addition\$2 OR other\$1 OR more OR extra OR second\$3 OR remain\$3 OR subsequent\$2 OR follow\$3 OR back\$3 ADJ up OR backup OR mirror\$3 OR partner\$3 OR pair\$3)) WITH ((allocat\$3 OR appropriat\$3 OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 14:54

		apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3)) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN))				
L10	252	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) WITH (main OR primary OR first) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) WITH (((only OR sole\$2 OR based OR respons\$3) near5 (another OR addition \$2 OR other\$1 OR more OR extra OR second\$3 OR remain \$3 OR subsequent \$2 OR follow\$3 OR back\$3 ADJ up OR backup OR mirror\$3 OR partner\$3 OR pair\$3)) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3)) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 14:55

L11	232	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) WITH (main OR primary OR first) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) WITH (((only OR sole\$2 OR based OR respons\$3) near5 (another OR addition \$2 OR extra OR second\$3 OR remain \$3 OR subsequent \$2 OR follow\$3 OR back\$3 ADJ up OR backup OR mirror \$3)) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3)) WITH (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 14:55
L12	67	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (main OR primary OR first) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) WITH (((only OR sole\$2 OR based OR respons\$3) near5 (another OR addition \$2 OR extra OR second\$3 OR remain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 14:56

		\$3 OR subsequent \$2 OR follow\$3 OR back\$3 ADJ up OR backup OR mirror \$3)) WITH ((allocat \$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat \$4 OR identif\$4 OR creat\$3)) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN))				
L13	880	(veritas).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:28
L14	0	L13 AND (logical ADJ volume\$1 AND operation\$1 AND allocat\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:29
L15	3	L13 AND (logical ADJ volume\$1 AND allocat\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:29
SI10	788	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot \$4 OR designat\$4 OR identif\$4) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN) WITH (mirror\$3 OR pair\$3 OR backup\$1 OR back\$3 ADJ up\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 17:38

S111	420	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4) near5 (mirror\$3 OR pair\$3 OR backup\$1 OR back\$3 ADJ up\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 17:39
S112	33	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) WITH ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 17:55

S113	35	((allocat\$3 OR appropriat\$3 OR apporportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (logical ADJ (volume\$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((allocat\$3 OR appropriat\$3 OR apporportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:41
S114	0	((allocat\$3 OR appropriat\$3 OR apporportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (logical ADJ (volume\$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((allocat\$3 OR appropriat\$3 OR apporportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner\$1))) SAME (allocat\$3 ADJ on ADJ use)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:42

S115	0	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identifi\$4 OR creat\$3) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identifi\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner\$1))) AND (allocat\$3 ADJ on ADJ use)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:42
S116	0	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identifi\$4 OR creat\$3) near5 (logical ADJ (volume \$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identifi\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner\$1))) AND (allocat\$3 ADJ use)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:43

S117	4	((allocat\$3 OR appropriat\$3 OR apporportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (logical ADJ (volume\$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((allocat\$3 OR appropriat\$3 OR apporportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner\$1))) AND (allocat\$3 ADJ us\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:43
S118	0	((allocat\$3 OR appropriat\$3 OR apporportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (logical ADJ (volume\$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((allocat\$3 OR appropriat\$3 OR apporportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner\$1))) SAME (allocat\$3 ADJ "on use")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:44

S119	0	((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 (logical ADJ (volume\$1 OR partition\$3 OR unit\$1) OR extent\$1 OR LPAR OR LUN)) SAME ((allocat\$3 OR appropriat\$3 OR apportion\$3 OR allot\$4 OR designat\$4 OR identif\$4 OR creat\$3) near5 ((mirror\$3 OR backup\$1 OR back\$3 ADJ up\$1) near3 (pair\$3 OR partner\$1))) SAME (allocat\$3 ADJ "on-use"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:45
S120	46	"on-use"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:45
S121	19	"allocation-on-use"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:45
S122	1	("6,725,328").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/12 18:48

8/ 13/ 2009 3:44:35 PM

C:\ Documents and Settings\ mkrofcheck\ My Documents\ Files from Applications
\ 10767399\ 10767399.wsp